

Openings Amarr[®] Residential Garage Doors



www.amarr.com

- 3 AMARR ADVANTAGE
- 4 CLASSICA® FLUSH
- 6 CLASSICA FULL VIEW
- 8 CLASSICA
- 10 CLASSICA & DECORATIVE HARDWARE OPTIONS

NOOD

-54.F.h.h

an Oliver Marine Marine

- 12 CARRIAGE COURT
- 14 CARRIAGE COURT OPTIONS
- 16 DESIGNER'S CHOICE
- 18 HILLCREST
- 20 HERITAGE®
- 22 OLYMPUS
- 24 LINCOLN
- 26 STEEL OPTIONS
- 28 STEEL CONSTRUCTION
- 30 STEEL SPECIFICATIONS
- 32 AMARR BY DESIGN
- 34 HORIZON
- 36 ALUMINUM OPTIONS
- 38 VISTA
- 40 WOOD & ALUMINUM SPECIFICATIONS



Openings. Open up to a new way of thinking. The garage. It's more than a way in, or a way out. Inside it's a parking lot, a gym, a workshop. Outside, it's an extension of your home, a reflection of your personality, of your individuality. Whether you prefer steel, wood, or aluminum, rethink what a garage door is, or can be. Amarr Openings. Open up to the possibilities.



AMARR ADVANTAGE

Style and Variety

We offer a broad range of garage door designs to meet your unique needs; whether your home is traditional or contemporary, our Amarr garage door designs can add beauty, curb appeal and long lasting value to your home.

Energy Efficiency

Maintain the temperature in your garage with a garage door with a high R-value rating. We offer a wide range of insulations and door thicknesses to provide the level of energy efficiency you desire.



Safety



Garage doors are the largest and heaviest moving object in the home. Amarr garage doors have a patented safety bottom bracket to reduce the risk of serious injuries.

Protection

Amarr hurricane rated garage doors with impact resistant construction help protect homes and property in hurricane and high wind prone regions.

Sustainability

Amarr products are made with up to 90% recycled content and approximately 5-10% of the steel is reused at the steel mill.

Made in USA

All Amarr residential and commercial steel and aluminum garage doors are manufactured in



the USA, affirming our commitment to high quality and durability.



CLASSICA® FLUSH

Sleek and sophisticated. Amarr Classica Flush garage doors complement any modern architectural style home. The flush design is ideal for homeowners who want a contemporary look with the taller panels of a 3-section door. Polyurethane insulation is energy efficient and helps moderate garage temperatures year round.





Charcoal Gray with Jardin Windows Dark Brown with Clear Glass Sandtone with Thames Windows True White with Closed Top Wicker Tan with Frost Glass Designs **Glass Options CL3000** Unique three-section Choose single-pane or Triple-Layer: tall door with large insulated tempered glass Steel + Insulation + Steel

windows allow maximum natural lighting.

See page 30 for complete specifications.

options to best suit your needs.

See page 10-11 for glass and window options.





CLASSICA[®] FULL VIEW

Bring natural lighting indoors. The three-section tall Amarr Classica Full View garage door allows maximum natural lighting to your interior space with the largest windows available in any Amarr steel garage door. The contemporary design combined with polyurethane insulated steel door provides years of energy efficient performance. Improve your view of the world with an Amarr Classica Full View door.



Full View design with Frost glass in Charcoal Gray





NEW

WEATHERED GRAY (WZ)

GOLDEN OAK WA

WALNUT (NT)

.NUT MAHOGANY IT) (MY) Δr

CLASSICA FULL VIEW



CLASSICA®

Looks can be deceiving. From a distance, you see wood. Up close, it's sturdy, durable, low-maintenance steel. The Amarr Classica collection of carriage house doors. Precision-shaped doors in fresh, clean, classic carriage house styles that go up and down like traditional garage doors. Unique three-section tall designs, instead of four, help deliver a more authentic carriage house look. Deception never looked so good.

Santiago design with Madeira windows in True White/Gray with Blue Ridge handles and hinges



DESIGNS

LUCERN	(L)
--------	-----

NORTHAMPTON (N)



TUSCANY (T)

BORDEAUX (B)



Not available in odd heights. SANTIAGO (S)





Not available in Arched top. VALENCIA (V)







(OK)*

WAI NUT

(NT)

GOLDEN OAK

WEATHERED

GRAY (WZ)

MAHOGANY (MY)*

See page 27 for more information.

*Odd heights not available in CL1000/CL2000.

AMARR CLASSICA® & HARDWARE OPTIONS

TWO-TONE PAINT OPTIONS*

		BASE DOOR				
PANEL	TRUE WHITE	ALMOND	WICKER TAN	SANDTONE	TERRATONE	CHARCOAL GRAY
TRUE WHITE						
ALMOND						
WICKER TAN						
SANDTONE						
TERRATONE						
CHARCOAL GRAY						
DARK BROWN						
BLACK						
HUNTER GREEN						
GRAY						

TOP SECTIONS



CLOSED SQUARE • Available for TUSCANY (T2), SANTIAGO (S2), LUCERN (L2), VALENCIA (V2)



CLOSED DOUBLE ARCH • Available for TUSCANY (T1D), SANTIAGO (S1D), LUCERN (L1D), VALENCIA (V1D)



CLOSED ARCH • NORTHAMPTON (N1)

CLOSED ARCH • BORDEAUX (B1)



CLOSED SQUARE • CORTONA (C2)

MADEIRA (5)*



RHINE (7)*



THAMES (10)*



JARDIN (75)†



* Window inserts shown on Clear glass. Design also available with Obscure, Frost or Dark Tint glass.

[†] Tempered obscure glass with baked-on ceramic design. Design visibility varies due to lighting.

CLOSED SQUARE • NORTHAMPTON (N2)



CLOSED SQUARE • BORDEAUX (B2)



DANUBE [4]*



NILE [6]*



SEINE [8]*




NO INSERT



TRELLIS (76)+



Visit **amarr.com** and access the Amarr Door Designer to view specific designs in various architectural styles.





CARRIAGE COURT

Distinctly defined. Amarr Carriage Court garage doors increase a home's curb appeal and the highly defined carriage house designs are easily visible from the end of the driveway. Built with durable composite overlay trim and insulated steel-backed sections, these garage doors provide energy efficiency, noise reduction and innovative design to your home.

DESIGNS











1 I F

NOT AVAILABLE WITH WINDOWS ASHLEY (AL) CHARLTON (CT)



GREENBRIAR (GB)



DARBY (DB)











NEWBERRY (NB)





MIDDLETON (MT)



TANGLEWOOD (TW)






*Closed Square only.



Tanglewood design with Closed Arch in Wicker Tan/White with Versailles decorative hardware



See page 30 for complete specifications.

home's design.

See p. 6 for window options. See p.11 for decorative hardware options.

WARRANTY

- Lifetime limited warranty on finish
- · 5-year limited warranty on materials and workmanship
- 5-year limited warranty on hardware
- 10-year limited warranty on window and overlay discoloration
- · 5-year limited warranty on overlay delamination

AMARR CARRIAGE COURT OPTIONS

TOP SECTIONS

Available for BRADBERRY, KENSINGTON, LAURELBAY, PINETOP, ROSEMONT AND SEABROOK with CLEAR, OBSCURE* or INSULATED* GLASS CLOSED SOLVARE (104) CLOSED ARCH (105)

CLEAR SQUARE (115) CLEAR ARCH (114) 3 LITE SQUARE (106) 3 LITE ARCH (110) 4 LITE SQUARE (107) 4 LITE ARCH (111) 6 LITE SQUARE (112) 6 LITE ARCH (108) 8 LITE SQUARE (113) 8 LITE ARCH (109) *Price upcharge applies Available for ARCADIA[†], ASHLEY, BROOKLAND[†], DARBY, CHARLTON, FAIRFIELD, GREENBRIAR, MAGNOLIA[†], MIDDLETON, NEWBERRY, RAVENWOOD[†] AND TANGLEWOOD CLOSED SQUARE (104) CLOSED ARCH (105) [†]Closed Square only.

COLORS

Actual paint colors may vary from samples shown.

TRUE WHITE / WHITE (W1)

ALMOND / WHITE (A1)

SANDTONE / WHITE (S1)

WICKER TAN / WHITE (K1)



Door, window, and overlay can be painted using 100% acrylic exterior latex paint with a Light Reflective Value (LRV) of 8 or higher. Contact paint manufacturer for LRV ratings. Painting your garage door voids the warranty.

Kensington design with Clear Square windows in Almond/White with Blue Ridge decorative hardware





Visit **amarr.com** and access the Amarr Door Designer to view specific designs in various architectural styles.

OVERLAY TRIM



- 5/8" thick composite overlay trim of reclaimed wood fiber and thermoplastic polymer
- Square edge design
- Sustainable, green building material
- Resists rot, decay, and fungal growth
- Won't flake, blister, peel, pit or corrode

WINDOWS



- Large rectangular or arched window designs in 24" top sections
- 5/8" thick decorative window grilles with square edges
- Available in Clear, Clear Insulated* or Obscure* glass

*Price upcharge applies.

 DOOR WIDTHS
 Only available in widths shown; not available in odd widths

 6' WIDE[†]
 12', 14' & 15' WIDE

 6' Y & 10' WIDE
 12', 14' & 15' WIDE

 8', 9' & 10' WIDE
 15'6', 15'8', 16' & 18' WIDE

⁺Available in Ashley, Charlton, Greenbriar and Laurelbay (no window options).

DOORHEIGHTS Available in 6/6" - 10' heights in 3" increments# 7' and 8' TALL 9' TALL 10' TALL Image: Constraint of the system of the syste

‡Rosemont not available in 8'3", 8'9", 9'3" and 9'9" door heights; Tanglewood not available in 6'3" and 7'3" door heights.



DESIGNER'S CHOICE

Design and energy efficiency make the Amarr Designer's Choice doors popular models. With triple-layer construction and superior insulation R-value of 19.40⁺, these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Recessed design with Stockton DecraTrim in Black



DESIGNS

BEAD BOARD (BB)*

*Amarr DC3138 only available in Bead Board design. LONG BEAD BOARD (LPBB)

RECESSED (RE)



Bead Board design with Stockton DecraTrim in True White with Blue Ridge handles and hinges



Steel + Insulation + Steel

DC3200

2" Triple-Layer: Steel + Insulation + Steel

19.40

Choice model is available in three carriage house designs and eight colors.

See page 30 for complete specifications. Choose from DecraTrim inserts or DecraGlass‡ windows to best coordinate with your home.

See page 11 for decorative hardware options, pp. 26-27 for glass and window options.

*DC3138 only available in 8', 9' or 16' wide doors. *True White Bead Board only. 13.35 R-value for all other panels and colors. #Available for DC3200 only.

Actual paint colors may vary from samples shown. ce upcharge applies to all colors except True White. Pri



WALNUT [NT]

MAHOGANY (MY)



HILLCREST

Beauty that's more than skin deep. With the Amarr Hillcrest collection, you get more than a custom carriage house look with a wide range of colors, decorative hardware and window styles. You get exceptional style and durability with conventional hardware at a competitive price. The Amarr Hillcrest. Value is a beautiful thing.

Bead Board design with Wagon Wheel DecraTrim in True White with Blue Ridge handles and hinges



DESIGNS

BEAD BOARD (BB)*

LONG BEAD BOARD (LPBB)


RECESSED (RE)

J
J
J
j

*Amarr DC3138 only available in Bead Board design.








DARK CHARCOAL BROWN (DN) GRAY (EF) BLACK (BL) WEATHERED GRAY (WZ) WALNUT (NT)








H E R I T A G E[®]

Style and beauty that stand the test of time. Choose from traditional or carriage house designs to create the steel garage door you always wanted. The Amarr Heritage collection provides a low-maintenance, 2" thick steel door with a lifetime warranty. Great looks for years to come.

Long Bead Board design with Moonlite DecratTrim in True White with Blue Ridge handles and hinges









TRUE WHITE (TW)

WAI NUT

(NT)



ALMOND

MAHOGANY

(MY)

SANDTONE (ST) DARK BROWN (DN) BLACK (BL)

Amarr*Color Zone See page 27 for more information.

Woodgrain finishes are dual directional for all panel designs.

HERITAGE



OLYMPUS

When it comes to ultimate protection, the Amarr Olympus stands tall. With triple-layer construction and superior insulation R-value of 19.40[†], these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Long Panel design in Black with Long Panel Clear windows



DESIGNS

SHORT PANEL (SP)*

1
1
1
1

FLUSH PANEL (FP)*



Flush Panel available in True White and Color Zone only.



*Amarr OL3138 only available in Flush and Short Panel designs.

MOSAIC WINDOWS



With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit **amarr.com/mosaic** for design inspirations. Available in OL3200 only.



Short Panel (SP) with Short Panel Clear windows Short Panel with Prairie DecraTrim (SP21) Long Panel with Moonlite DecraTrim (LP24) STREES. Long Panel with Thames DecraTrim (LP30) Short Panel with Mission DecraGlass (SP71) -Designs **Decorative Windows OL3138** 14.46 The Amarr Olympus Choose from DecraTrim 1-3/8" Triple-Layer: inserts or DecraGlass‡ model is available in Steel + Insulation + Steel Short Panel and Long windows to best coordinate Panel designs and eight with your home. **OL3200** color options. 19.40¹ See pp. 26-27 for 2" Triple-Layer: See page 30 for glass and window options. Steel + Insulation + Steel complete specifications.

*0L3138 only available in 8', 9' or 16' wide doors. *True White Short and Flush panels only; 13.35 R-value for all other panels and colors. ‡Available for DL3200 only.

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.



OL3138 only available in True White and Color Zone.

WALNUT (NT)

MAHOGANY (MY)

more in , formation



LINCOLN

Traditional style. Exceptional value. The Amarr Lincoln collection combines unique, yet timeless traditional designs and color options with the durability & strength of steel and conventional hardware. Along with a variety of decorative window choices, this affordable collection delivers premium style at a competitive price. The Amarr Lincoln. A new tradition of style and value.

Flush Panel design with Frost Mosaic window options in Charcoal Gray



DESIGNS

SHORT PANEL (SP)

		1	1
	1	1	1
		1	٦
		1	٦

FLUSH PANEL (FP)



LONG PANEL (LP)

	1
	1
	1
	1

RIBBED PANEL (RP)



Ribbed Panel available in LI3138 only.

MOSAIC WINDOWS



With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit **amarr.com/mosaic** for design inspirations.






Long Panel design with Stockton DecraTrim in True White





STEEL **OPTIONS**

GLASS OPTI	0 N S	Insulated glass a	vailable in Clear, Frost and Dark Tint.*
CLEAR (C)	OBSCURE (0)*	FROST (WF)*	DARK TINT (WD)*
			Price upcharge applies.
DECRATRIM	1 WINDOW	INSERT	
SHORT PANEL Available Lincoln, a	for Amarr Heritage, and Olympus collections.	LONG PANEL	Available for Amarr Designer's Choice, Heritage, Hillcrest, Lincoln,
CLEAR (C)		CLEAR (C)	and Olympus collections.
STOCKTON (20)		STOCKTON (20)	
PRAIRIE (21)		PRAIRIE (21)	
CATHEDRAL (22)		CATHEDRAL (22)	
CASCADE (23)		CASCADE (23)	
WATERFORD (25)		WATERFORD (25)	
	$\bigcirc \bigtriangledown >$	$\vdash\!$	
WAGON WHEEL (26)		WAGON WHEEL (2)	6)
SUNRAY (27)		SUNRAY (27)	
FULL SUNRAY (28) Short Panel			Available for 16', 17', and 18' only.
FULL SUNRAY (28) Long Panel		Available for	15', 15' 6", 15' 8", 16', 17', and 18' only.
FIVE PIECE SUNRAY for 10' widt	h doors (29) Available only ir	True White.	
ARCHED THAMES (31)		THAMES (30)	
MOONLITE (24)			



DecraTrim and DecraGlass design visibility varies due to lighting.

MOSAIC WINDOW OPTIONS

The choice is yours. Add visual interest to your contemporary, mid-century modern or transitional home. With Mosaic Window Options for Amarr Heritage, Lincoln, and Olympus steel garage doors short or long panel windows with Clear, Obscure, Frost or Dark Tint glass can be placed in any standard position**.

Visit amarr.com/mosaic for design inspirations.



Amarr steel doors are pre-painted; for custom colors exterior latex paint must be used. Visit **amarr.com** for instructions on painting.

Non-factory painting of garage door voids the paint finish warranty

WILLIAMS.

Price upcharge applies to all colors except True White.

27 OPTIONS

STEEL CONSTRUCTION

Amarr steel garage doors are built with low-maintenance, heavy-duty steel. Choose from single, double, triple or four-layer construction for your desired level of energy efficiency and noise control. Experience the strength, security, and peace of mind you get with steel.

SINGLE-LAYER: Steel

Amarr Classica, Heritage, Hillcrest & Lincoln

- Heavy-duty exterior steel
- Durable, reliable, low maintenance



TRIPLE-LAYER: Steel + Insulation + Steel

Amarr Classica, Designer's Choice, Heritage, Hillcrest, Lincoln & Olympus

- Heavy-duty exterior and interior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene or polyurethane thermal insulation
- Superior energy efficiency
- Extra quiet operation






FOUR-LAYER:

Overlay + Steel + Insulation + Steel

Amarr Carriage Court

- Heavy-duty exterior and interior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene thermal insulation
- Energy efficient
- Extra quiet operation





DOUBLE-LAYER: Steel + Insulation

Amarr Classica, Heritage, Hillcrest & Lincoln

- Heavy-duty exterior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene thermal insulation with vinyl backing
- Energy efficient
- Quiet operation







STEEL SPECIFICATIONS

	CLASSICA Flush	CLASSICA FULL VIEW	CLASSICA	CLASSICA	CLASSICA	CARRIAGE	DESIGNER'S CHOICE DC3138	DESIGNER'S CHOICE	HILLCREST HI1000
PANEL DESIGNS	CL3000	CL3000	CL1000	CL2000	CL3000	CC4000	DC3138	DC3200	HIIUUU
Short									
Long Flush									
Ribbed	•								
		Full View	7 Designs	7 Designs	7 Designs	18 Designs	1 Design	3 Designs	3 Designs
Carriage House	3	3	1 Designs	2 2	3 Besigns	4	3	3 Designs	1 Designs
	5	5		L	J	,	5	5	•
Steel			•						•
Steel + Insulation		•		•					
Steel + Insulation + Steel	•	•			•		•	•	
Overlay + Steel + Insulation + Steel	an (5 4 -)	07 (5.1)	an (5.4)	011 (5.4	00 (5.4)	•	4.0/07/05	an (5.4	011 (5.4
DOOR THICKNESS	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	1-3/8"(3.5cm)	2" (5.1cm)	2" (5.1cm)
INSULATION	Polyurethane	Polyurethane		Polystyrene ¹	Polyurethane	Polystyrene ¹	Polyurethane	Polyurethane	
R-VALUE ²	13.358	13.35*		6.64	13.35	6.48	14.46	19.40*/13.35**	
STEEL THICKNESS	AF 1	05/07				an ic-	an ic -	00/1-	
Gauge (ga)	25/27 ga	25/27 ga	24 ga	24 ga	25/27 ga	27/27 ga	27/27 ga	27/27 ga	25 ga
Gauge (mm)	0.53/0.42mm	0.53/0.42mm	0.61mm	0.61mm	0.53/0.42mm	0.42/0.42mm	0.42/0.42mm	0.42/0.42mm	0.53mm
WOODGRAIN EXTERIOR TEXTURE	•	•	•	•	•	•	•	•	•
GALVANIZED END STILES			•	•					•
PAINTED END STILES	•	•			•	•	•	•	
THERMAL SEAL							•	•*	
BOTTOM WEATHER SEAL									
Steel Retainer	•	•	•	•	•			•**	•
Aluminum Retainer						•			
Extruded Vinyl							•	•*	
DECORATIVE WINDOW OPTIONS	•	•	•	•	•	٠	•	•	•
WINDOW GLASS OPTIONS									
3/32" (0.24cm) Single Strength							•	•	•
1/8" (0.32cm) Tempered 2X Strength	•	•	•	•	•	•			
Insulated (Clear, Frost & Dark Tint)	•	•			•	Clear only	•	•	
Obscure	•	•	•	•	•	•	•	•	•
Frost	•	•	•	•	•		•	•	•
Dark Tint	•	•	•	•	•		•	•	•
DECORATIVE HARDWARE OPTIONS			•	•	•	•	•	•	•
EXTERIOR COLOR OPTIONS									
True White (TW)	•	•	•	•	•	•3	•	•	•
Almond (AL)	•	•	•	•	•	•3		•	•
Wicker Tan (WK)	•	•	•	•	•	•3		•	•
Sandtone (ST)	•	•	•	•	•	•3		•	•
Terratone (TT)	•	•	•	•	•				•
Dark Brown (DN)	•	•	•	•	•			•	•
Charcoal Gray (EF)	•	•	•	•	•				•
Black (BL)	•	•	•	•	•			•	•
Golden Oak (OK)		•	•	•	•				
Walnut (NT)		•	•	•	•			•	•
Mahogany (MY)		•	•	•	•			•	•
Weathered Gray		•	•	•	•				•
WIND LOAD' AVAILABLE	•		•	•	•	•	•	•	•
PAINT FINISH WARRANTY ⁵	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	15 Years
WORKMANSHIP/HARDWARE WTY ⁵	Lifetime	Lifetime	3 Years	5 Years	Lifetime	5 Years	5 Years	Lifetime	1 Year

- ¹ Insulation on Amar brand doors has passed seti-fippition, flamespread, and smoke developed index fire testing.
 † True White Short and Flush panel designs only.

 ² Calculated door section R-value is in accordance with DASMA 105-163.
 Short and Flush panel designs.

 ³ Toue White Reader and your section R-value is in accordance with DASMA 105-163.
 NA = Currently Unavailable
- * True White Bead Board only.
- ** All panels and colors except



HILLCREST	HILLCREST	HILLCREST	HERITAGE	HERITAGE	HERITAGE	OLYMPUS	OLYMPUS	LINCOLN	LINCOLN	LINCOLN	LINCOLN
HI2000	HI3138	HI3000	HR1000	HR2000	HR3000	0L3138	0L3200	LI1000	LI2000	LI3138	LI3000
						THE					
			•	•	•	TW	•	•	•	•	•
			•	•	•	TW	• TW	•	•		•
					NA	IW	IN	•	•		NA
3 Designs	3 Designs	3 Designs	3 Designs	3 Designs	3 Designs						na
2	3	3	1	2	3	3	3	1	2	3	3
-		-	•	-			-	•		-	-
•				•					•		
	•	•			•	•	•			•	•
2" (5.1cm)	1-3/8"(3.5cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	1-3/8"(3.5cm)	2" (5.1cm)	2'' (5.1cm)	2" (5.1cm)	1-3/8"(3.5cm)	2" (5.1cm)
Polystyrene ¹	Polystyrene ¹	Polystyrene ¹		Polystyrene ¹	Polystyrene ¹	Polyurethane	Polyurethane		Polystyrene ¹	Polystyrene ¹	Polystyrene ¹
6.64	6.48	9.05		6.64	9.05	14.46	19.40†/13.35‡		6.64	6.48	9.05
25 ga	27/27 ga	27/27 ga	24 ga	24 ga	24/27 ga	27/27 ga	27/27 ga	25 ga	25 ga	27/27 ga	27/27 ga
0.53mm	0.42/0.42mm	0.42/0.42mm	0.61mm	0.61mm	0.61/0.42mm	0.42/0.42mm	0.42/0.42mm	0.53mm	0.53mm	0.42/0.42mm	0.42/0.42mm
•	•	•	•	•	•	•	•	• ⁱ	•6	•	•
•								•	•		
	·	•	•	•	•	•	·			•	·
					•	•	•†				
•			•	•			•‡	•	•		
					•		-+				
•		•	•	•	•		•†	•			•
				-	-						-
•	•	•	•	•	•	•	•	•	•		•
	•	•			•	•	•			•	•
•		•	•	•				•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•7	•7	•7						
•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•		•	•	•	•	•
•	•	•					•	•	•	•	·
•	•	•	•	•	•		•	•	•	•	•
•	•	•						•	•	•	·
•	•	•	•	•	•		•	•	•	•	•
•		•						•	•	•	·
•	•	•	•	•	•		•	•	•	•	•
•	•	•	•	•	•		•	•	•	•	•
•	•	•	•	•	•		•	•	•	•	•
•			•	•	•	•	•	•	•	•	•
25 Years	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	15 Years	25 Years	Lifetime	Lifetime
2 Years	3 Years	3 Years	3 Years	5 Years	Lifetime	5 Years	Lifetime	1 Year	2 Years	3 Years	3 Years
2.3010											

³ With White Overlay.


VIIII VVIIIE UVERAY.
 It is your responsibility to make sure your
 garage door meets local building codes.
 For non-life

For complete warranty details, visit amarr.com or contact your local Amarr dealer.

⁶ Flush Panel design has Stucco texture.

FUISh Fainet design has studied lockers.
 Available for Carriage House designs only.
 Solid door without glass; R-Value varies by glass type.

NOTE: Optional door locks and various heights and widths are available thru your local garage door dealer.



AMARR ΒY DESIGN AD4000

Get the neighbors talking. Start with the exquisite Amarr by Design collection. Submit your own unique design and let our craftsmen build it. Or choose from one of our many custom wood carriage house styles and an array of materials, windows, and custom hardware to create a truly unique, one-of-a-kind door. Amarr By Design. Get a gorgeous door, and a great conversation piece.



CONSTRUCTION

WOOD

Wood + Insulation + Wood

- Custom, handcrafted carriage house designs
- Multiple wood options
- Paint or stain grade wood
- Environmentally safe polystyrene thermal insulation
- Energy efficient

WOOD CHOICES




CLEAR VERTICAL GRAIN CEDAR





INCENSE CEDAR





RED GRANDIS



MAHOGANY





DESIGNS

SUTCLIFFE

LOWRY



4000 (closed arch)

7010 (i)





PRESTON



3000 (custom)

7020 (l)



Unlimited design options.





TERRY



Custom designs available.


CURTIS

RUNION

TTTT

ŦŦŦ

Simply draw your own unique door, give it to your Amarr dealer, and we'll take it from there.



Designs

Design your own look or pick from one of our many designs. Available with closed top section or with windows. Glass choices include Double Strength or Insulated.

Materials

Design your own door. Choose from the finest milled woods. Paintable or stainable wood exterior.

See page 40 for complete specifications.

Decorative Options

Design your own finishing touches with decorative hardware. Popular choices include door knockers, handles, latches, braces, and strap hinges.


Visit www.amarr.com for all hardware options.



HORIZON HO1000

Gain a unique perspective for your home. The Amarr Horizon H01000 combines strong horizontal lines with long, narrow expanses of glass to make a distinctive design statement. These sleek, contemporary, aluminum doors are available with dozens of glazing and color options, so your choices are practically limitless, and the outlook is always bright.

CONSTRUCTION



ALUMINUM

An Amarr Horizon H01000 multiview door offers unique styling to match any modern architecture.

- Extruded aluminum frame provides durability, low maintenance and corrosion resistance
- ClearView Aluminum Strut System does not restrict viewing area and adds strength and durability to doors; available for doors up to 24' wide, when required
- 7' tall doors are three sections high
- Equal glass heights in all sections of a door
- Glass expanses up to 8'2" wide



DOOR CONFIGURATIONS

FOR SINGLE PANE GLAZING

Up to 8'2" WIDE – 1 Panel

8'3"-16'2"	WIDE -	2 Panels

16'3"-20'2" WIDE - 3 Panels

FOR INSULATED GLAZING

Up to 10'2" WIDE – 2 Panels



1	0'3	3"-	16'2"	WIDE	- 3	Panels

16'3"-20'2" WIDE - 4 Panels

FOR SINGLE PANE GLAZING

Door Width	# Center Stiles	# Windows/Section
Up to 8'2"	0	2
8' 3" - 16' 2"	1	4
16' 3" – 20' 2"	2	6

FOR INSULATED GLAZING

Door Width	# Center Stiles	# Windows/Section	
Up to 10' 2"	1	4	
10' 3" – 16' 2"	2	6	
16' 3" – 20' 2"	3	8	

ALUMINUM OPTIONS

COLO	RS				Act fro	ual color may vary n samples shown.
IN STOC	к					
ANODIZE	CLEAR (AN)	DARK BRONZE (AD)	BLACK (BA)		PAINT	ITE Powder Coat (WH)
SPECIAL	ORDER					
ANODIZE	CHAMPAGNE (AH)	COPPER [AC]	MEDIUM BRONZE (AM)	Longe	r lead time and pri	ce upcharge apply.
PAINT P	VDF (Kynar®) & I	Powder Coat		Longe	er lead time and pri	ce upcharge apply.
WHITE (PVDF)	BONE WHITE	IVORY	SANDSTONE	BURNT SU	N SIERRA TAN	BEIGE
\bigcirc	\bigcirc					
LIGHT SEAWOLF BEIGE	DOVE GRAY	SLATE GRAY	CHARCOAL GRAY	PATINA GREI	EN DARK IVY	HARTFORD GREEN
\bigcirc						
MILITARY BLUE	INTERSTATE BLUE	COLONIAL RED	BOYSENBERRY	SAGE BROW	N QUAKER BRONZE	SUPER BLACK
		\bigcirc		\bigcirc)	
CARNIVAL RED II*	CLASSIC COPPER*	CHAMPAGNE PEARL*	PEWTER*	SILVER*		*PVDF only.
			FADE RESISTANT		PVDF (Kynar®) ++	Powder Coat +
		\sim	CORROSION RESI	STANT	++	+
	+	\geq	UV RESISTANT		++	+
RAL & CUST			ABRASION RESIS	TANT	+	++
AVAILABLE POWDER CO			STANDARD COLO	RS	26	21
Longer lead tim price upcharge			RAL/CUSTOM CO PRICE UPCHARGE		\$	\$\$

GLAZING OPTIONS

	SINGLE PANE						I	DU
	Anne	aled‡		Tem	pered		Annealed	
	1/8"	1/8" Low-E	1/8"	1/8" Low-E	1/4"	1/4" Low-E	1/2"	1/2" Low-E
CLEAR	•	•	•	•	•	•	•	•
OBSCURE	•		•		•		•	•
GREEN TINT	•		•		•		•	•
BRONZE TINT	•		•		•		•	•
GRAY TINT	•		•		•		•	•
GREYLITE	•		•		•		•	•
FROST	•		•		•		•	•
SNOW								
WHITEOUT								
BLACK ICE								

TOUCH-UP PAINT


Included

NOT included

Visit **amarr.com** and access the Amarr Door Designer to view specific designs in various architectural styles.

GLASS

Glass is tempered and available as single pane or insulated.



WARRANTY

- · 5-year limited warranty on materials and workmanship
- 5-year limited warranty on hardware
- 5-year warranty on finish (RAL & Custom Paint 3 Years)


AL	PANE		1				. :	SINGLE PAN	
			Laminated	Polycarbonate			Acrylic		
	1/2"	1/2" Low-E	1/4"	Single 1/8"	Single 1/4"	Tri-Wall 5/8"	1/8"	1/4"	1/2"
	•	•		•	•	•	•	•	•
	•	•							
	•	•							
	•	•				•			
	•	•							
	•	•							
	•	•				•			
			•			•			
			•						
			•						



VISTA VI1000

It's the perfect reflection of your style. The modern industrial look goes residential with the introduction of the Amarr Vista collection. From the outside, these sleek doors perfectly mirror the clean lines and glass expanses of your home's contemporary design. Inside, they transform your garage into a bright and inviting room.

CONSTRUCTION



ALUMINUM

An Amarr Vista full view door offers strength and beauty to match the stylish design of your home.

- 2" thick extruded commercial-grade aluminum frame provides durability, low maintenance and corrosion resistance
- ClearView Aluminum Strut System does not restrict viewing area and adds strength and durability to doors; available for doors up to 24' wide, when required
- Available in 21" and 24" section heights; and 18" for odd height doors
- Wind load options available to meet local building codes
- Attractive, modern exterior handles
 (2) included



PANEL CONFIGURATION

8' & 9' WIDE — 2 Panels

16' WIDE — 4 Panels	

10' WIDE - 3 Panels



18' WIDE — 5 Panels

DOOR HEIGHT CONFIGURATION

8' (4 tall)



10'		




12' (6 tall)



OPTIONAL PANELS

ALUMINUM & INSULATED ALUMINUM P

PERFORATED ALUMINUM



Shown in Clear Anodized.

0.312" square perforations on ½" centers

LOUVERED ALUMINUM

-			
-			

6 columns of (12) 3"x 3/4" vents on a 4'x 24" panel Shown in White Powder Coat

WOOD SPECIFICATIONS

	AMARR [®] BY DESIGN AD4000
PANEL DESIGNS	
Carriage House	Unlimited Designs
CONSTRUCTION*	
Wood + Insulation + Wood	•
DOOR THICKNESS	3" (7.6cm)
WOOD BASEPLY OPTIONS	
5/8" MDO Plywood (paint grade only)	•
1/2" Marine Grade Plywood	•
5/8" Incense Cedar	•
5/8" Clear Vertical Grain Cedar	•
5/8" Red Grandis	•
5/8" Mahogany	•
Other materials available upon request	•
TRIM OVERLAY OPTIONS	
5/8" Moisture-and Rot-resistant	•
Extira Exterior Panel (paint grade only)	•
5/8" Incense Cedar	•
5/8" Clear Vertical Grain Cedar	•
5/8" Red Grandis	•
5/8" Mahogany	•
Other materials available upon request	•
OPTIONAL WOOD DISTRESSING	•
SECTION HEIGHT OPTIONS	18", 21", 28" or 32"
POLYSTYRENE INSULATION (1-3/8" thick)	•
R-VALUE	9.0
BOTTOM WEATHER SEAL	•
DECORATIVE WINDOW OPTIONS	
1/8" (0.32cm) Double Strength	•
Insulated	•
OPTIONAL DECORATIVE HARDWARE	•
WIND LOAD ¹ AVAILABLE*	•
FIRE RATED DOORS AVAILABLE ²	•
SECTION WARRANTY ³	1 Year

¹ It is your responsibility to make sure your garage door meets local building codes. ² Optional: Special-designed doors meet guidelines for CA Building Codes for use in Wildlife Urban Interface (WUI). Fire-rated doors with insulated and tempered glass windows available.

³ For complete warranty details, visit amarr.com or contact your local Amarr dealer.

* Optional: Wood-on-steel section construction is available. Some wind load pressures may require wood-on-steel section construction.

Doors are shipped natural. Priming is available for paint grade doors. All doors require finishing on all six (6) sides of each section within two days of receipt of door(s) and prior to installation. Visit amarr.com for finishing recommendations.

HARDWARE SPECIFICATIONS

TRACK: 2" industrial grade galvanized .083 horizontal and vertical track. Standard lift 2SC-15" radius or 2LC-6" low headroom clearance. For doors over 650 lbs, 3" track.

HINGES: Up to 12': Single-end 11ga graduated galvanized. 12' and over: Double-end 11ga graduated galvanized.

ROLLERS: 2" nylon 10-ball bearing commercial

rollers (short stem for up to 12'; long stem for 12' and over).

STRUTS: 3" galvanized struts

COUNTER BALANCE: 10,000 cycle torsion springs,cast aluminum cable drums, 1" diameter 11ga torsion tube. For doors over 650 lbs, solid core steel shaft and coupler if exceeding 151" in length. FASTENERS: Cadmium plated fasteners (standard) for on-door hardware and securing tracks to jambs. All hinge fasteners are factory installed with concealed bolt heads (under the trim overlay).

OPERATION: Manual push-up. No lock assembly is supplied. Electric openers with 3/4 hp recommended for best possible operation.

Doors available in various heights and widths. Hardware specifications are consistent with doors not exceeding 18' wide and 10' high. Requirements escalate with door size and weight and have limitations. Contact your local Amarr dealer for specific details.

ALUMINUM SPECIFICATIONS

	HORIZON HO1000
FRAME CONSTRUCTION	2" thick aluminum
SECTION HEIGHTS	Varies by door height
DOOR WIDTHS	2' - 20' 2" (in 1" increments)
DOOR HEIGHTS	6' – 20' 1"
CLEARVIEW STRUT SYSTEM	Only required for doors $\geq 16'$
COLORS	
Anodize	Clear, Champagne, Copper, Medium Bronze, Dark Bronze, Black
Paint	26 standard PVDF colors, 21 standard Powder Coat colors, RAL and custom colors in both PVDF and Powder Coat
GLASS	
Transparent	Clear, Obscure, ThermaPro Low-E
Tint	Green, Bronze, Gray, GreyLite
Opaque	Frost, Snow, Whiteout, Black Ice
WIND LOAD ¹ AVAILABLE	NA
FINISH WARRANTY ²	5 Years (RAL & Custom Paint 3 Years)
WORKMANSHIP WARRANTY ²	5 Years
HARDWARE WARRANTY ²	

	VISTA VI1000		
FRAME CONSTRUCTION	2" thick aluminum		
SECTION HEIGHTS	21" and 24"; 18" for odd height doors		
CLEARVIEW STRUT SYSTEM	Only required for doors \geq 16'		
COLORS			
Anodize	Clear, Champagne, Copper, Medium Bronze, Dark Bronze, Black		
Paint	26 standard PVDF colors, 21 standard Powder Coat colors, RAL and custom colors in both PVDF and Powder Coat		
GLASS			
Transparent	Clear, Obscure, ThermaPro Low-E		
Tint	Green, Bronze, Gray, GreyLite		
Opaque	Frost, Snow, Whiteout, Black Ice		
OPTIONAL PANELS	Full View, Aluminum, Insulated Aluminum, Louvered, Perforated		
WIND LOAD ¹ AVAILABLE	•		
FINISH WARRANTY ²	5 Years (RAL & Custom Paint 3 Years)		
WORKMANSHIP WARRANTY ²	5 Years		
HARDWARE WARRANTY ²	5 Years		

¹ It is your responsibility to make sure your garage door meets local building codes. ² For complete warranty details contact your local Amarr dealer.



Amarr Classica Northampton design in True White with Thames window inserts



Our Philosophy. Since 1951, we have successfully raised the standards of quality, value, and dependability in the garage door industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering Amarr products and services that raise those standards even higher.

Visit amarr.com for additional products distributed by Amarr Company, including garage accessories and a full line of commercial sectional, rolling slat, and rolling steel doors.

Amarr Company

165 Carriage Court Winston-Salem, NC 27105 800.503.DOOR www.amarr.com



Amarr, Classica and Heritage as words and logos are trademarks belonging to Amarr Company, owned by ASSA ABLOY.

Door specifications and technical data subject to change without notice. Sectional door products from Amarr Company may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents. @ASSA ABLOY Printed in USA Form # 6010423/PDF

Your Local Amarr Dealer: